

ACCESSORIES, FITTINGS and tools for HPLC



Order number Description



- 6062 **Compression screws** for 1/16" capillaries, short (Pk. of 25)
 6063 **Compression screws** for 1/16" capillaries, short (Pk. of 100)



- 6065 **Compression screws** for 1/16" capillaries, long (Pk. of 25)
 6066 **Compression screws** for 1/16" capillaries, long (Pk. of 100)



- 6067 **Compression screws**, extra long - RHEODYNE type (Pk. of 10)
 6068 **Compression screws**, extra long - RHEODYNE type (Pk. of 25)




- 6072 **Steel ferrules** for 1/16" capillaries (Pk. of 25)
 6073 **Steel ferrules** for 1/16" capillaries (Pk. of 100)



- 6074 **Ferrules**, RHEODYNE type (Pk. of 10)
 6075 **Ferrules**, RHEODYNE type (Pk. of 25)



- 6081 **PTFE ferrules**, for 1/16" capillaries (Pk. of 50)
 6082 **PTFE ferrules**, for 1/16" capillaries (Pk. of 100)
 6083 **PTFE ferrules**, for 1/16" capillaries (Pk. of 250)



- 6100 **DYNASEAL** capillary fitting, complete (Pk. of 4)



Order number **Description**
 6101 **DYNASEAL** replacement kit (30 polymer ferrules)



6102 **DYNASEAL ferrules**, pliers type (Pk. of 4)



6935 **Capillary connector** for coupling 1/16" capillary with fused silica capillary, without sleeve



6937P **Finger-tight fitting** for coupling 1/16" capillary (Pk. of 2)



6938P **Plug** for connector 6935 (Pk. of 2)



8010 **Coupling**, ZDV, for 1/16" capillaries, female (Pk. of 5)



8011 **Coupling**, ZDV, for 1/16" capillaries, female (Pk. of 10)



8030 **Union tee**, ZDV type connector for 3 1/16" capillaries



8032 **Cross**, ZDV type connector for 4 1/16" capillaries



9600 **PTFE frit** for solvent suction tube (Pk. of 5)




9701 **High-pressure filter**, „in line“, complete with filter sandwich and 1/16" capillaries



7010 **Stainless steel capillary**, 1/16", 0.12 mm i.d. (3 m)
 7011 **Stainless steel capillary**, 1/16", 0.25 mm i.d. (3 m)
 7012 **Stainless steel capillary**, 1/16", 0.50 mm i.d. (3 m)
 7013 **Stainless steel capillary**, 1/16", 0.70 mm i.d. (3 m)
 7014 **Stainless steel capillary**, 1/16", 1.00 mm i.d. (3 m)

Order number Description

Stainless steel capillaries, machine cut (Pk. of 10);



- 7105 **Stainless steel capillary**, 1/16" o.d., 0.12 mm i.d., 50 mm length
- 7110 **Stainless steel capillary**, 1/16" o.d., 0.12 mm i.d., 100 mm length
- 7120 **Stainless steel capillary**, 1/16" o.d., 0.12 mm i.d., 200 mm length
- 7130 **Stainless steel capillary**, 1/16" o.d., 0.12 mm i.d., 300 mm length
- 7205 **Stainless steel capillary**, 1/16" o.d., 0.25 mm i.d., 50 mm length
- 7210 **Stainless steel capillary**, 1/16" o.d., 0.25 mm i.d., 100 mm length
- 7220 **Stainless steel capillary**, 1/16" o.d., 0.25 mm i.d., 200 mm length
- 7230 **Stainless steel capillary**, 1/16" o.d., 0.25 mm i.d., 300 mm length
- 7240 **Stainless steel capillary**, 1/16" o.d., 0.25 mm i.d., 400 mm length



- 7510 **PTFE tubing**, 1/16" o.d., 0.18 mm i.d. (length 5 m)
- 7511 **PTFE tubing**, 1/16" o.d., 0.25 mm i.d. (length 5 m)
- 7512 **PTFE tubing**, 1/16" o.d., 0.50 mm i.d. (length 5 m)
- 7513 **PTFE tubing**, 1/16" o.d., 0.75 mm i.d. (length 5 m)
- 7520 **PTFE tubing**, 1/8" o.d., 1.6 mm i.d. (length 5 m)
- 7521 **PTFE tubing**, 1/8" o.d., 2.4 mm i.d. (length 5 m)

PEEK accessories



- 5001 **PEEK finger-tight fitting** for double-ferrule (Pk. of 1)
- 5570 **PEEK finger-tight fitting** with double-ferrule (Pk. of 1)



- 5003P **PEEK ferrule**, single (Pk. of 5)



- 5004P **PEEK ferrule**, double (Pk. of 5)



- 5005 **PEEK compression screw** for double-ferrule (Pk. of 1)



- 5006 **PEEK filter** element



- 5007P **Replacement frits** for 5006 (Pk. of 2)



- 5008 **PEEK union**, without ferrules or fingertight compression screw (Pk. of 1)



- 6091 **PEEK finger-tight compression screw** with integrated ferrule (Pk. of 1)



- 7705 **PEEK capillary**, 1/16" o.d. x 0.13 mm i.d., red (3 m length)
- 7710 **PEEK capillary**, 1/16" o.d. x 0.17 mm i.d., yellow (3 m length)
- 7711 **PEEK capillary**, 1/16" o.d. x 0.25 mm i.d., blue (3 m length)
- 7712 **PEEK capillary**, 1/16" o.d. x 0.50 mm i.d., orange (3 m length)
- 7713 **PEEK capillary**, 1/16" o.d. x 0.75 mm i.d., green (3 m length)

Fused silica capillaries (POLYMICRO quality) for capillary HPLC, capillary electrophoresis and capillary electrochromatography

Order number	Description*
165025	Fused silica capillary , 165 μm o.d. x 25 μm i.d. (1 m)
165050	Fused silica capillary , 165 μm o.d. x 50 μm i.d. (1 m)
165075	Fused silica capillary , 165 μm o.d. x 75 μm i.d. (1 m)
165100	Fused silica capillary , 165 μm o.d. x 100 μm i.d. (1 m)
190025	Fused silica capillary , 190 μm o.d. x 25 μm i.d. (1 m)
190050	Fused silica capillary , 190 μm o.d. x 50 μm i.d. (1 m)
190075	Fused silica capillary , 190 μm o.d. x 75 μm i.d. (1 m)
190100	Fused silica capillary , 190 μm o.d. x 100 μm i.d. (1 m)
280025	Fused silica capillary , 280 μm o.d. x 25 μm i.d. (1 m)
280050	Fused silica capillary , 280 μm o.d. x 50 μm i.d. (1 m)
280075	Fused silica capillary , 280 μm o.d. x 75 μm i.d. (1 m)
280100	Fused silica capillary , 280 μm o.d. x 100 μm i.d. (1 m)
365025	Fused silica capillary , 365 μm o.d. x 25 μm i.d. (1 m)
365050	Fused silica capillary , 365 μm o.d. x 50 μm i.d. (1 m)
365075	Fused silica capillary , 365 μm o.d. x 75 μm i.d. (1 m)
365100	Fused silica capillary , 365 μm o.d. x 100 μm i.d. (1 m)

* other dimensions upon request

Accessories-Tools for HPLC



5905 **Cutting pliers** for steel capillaries



5910 **Spanner** (wrench), 5/16"-1/4"



5915 **Spanner** (wrench), 5 mm, for tightening MICRO columns



5940 **Guillotine**, for cutting plastic tubing



6904 **Tungsten carbide glass knife**, for cutting fused silica capillaries, etc.



6908 **PROCUT**, for cutting fused silica capillaries



69022 **Tubing cutter** for PTFE-, Tefzel-, PEEK tubings, etc.; it comes complete with guides for holding both 1/16" and 1/8" o.d. tubings

Valves, spareparts and accessories

	Order number	Description*
	I 7010	RHEODYNE sample injector 7010
	I 7725	RHEODYNE 6-port injection valve Model 7725 including 20 µl sample loop. Advanced, outstanding analytical injector capable of reproducibile 2 µl sample injection with a 2 µl internal sample loop
	I 7125-047	Rotor (replacement) for 7125 and 7725
	I 7010-039	Rotor (replacement) for 7010
	6906	Microinjector , 60 nl injection volume
	6920	Microinjector , 200 nl injection volume
	6907	Spare rotor for 60 nl microinjector
	6921	Spare rotor for 200 nl microinjector
	IP 0005	Sample loop , for Rheodyne syringe injector, 5 µl
	IP 0010	Sample loop , for Rheodyne syringe injector, 10 µl
	IP 0020	Sample loop , for Rheodyne syringe injector, 20 µl
	IP 0050	Sample loop , for Rheodyne syringe injector, 50 µl
	IP 0100	Sample loop , for Rheodyne syringe injector, 100 µl
	IP 0200	Sample loop , for Rheodyne syringe injector, 200 µl
	IP 0500	Sample loop , for Rheodyne syringe injector, 500 µl
IP 1000	Sample loop , for Rheodyne syringe injector, 1000 µl	
IP 2000	Sample loop , for Rheodyne syringe injector, 2000 µl	
IP 5000	Sample loop , for Rheodyne syringe injector, 5000 µl	
	IS 0010	Syringe for RHEODYNE valves (fixed needle), 10 µl
	IS 0025	Syringe for RHEODYNE valves (fixed needle), 25 µl
	IS 0050	Syringe for RHEODYNE valves (fixed needle), 50 µl
	IS 0100	Syringe for RHEODYNE valves (fixed needle), 100 µl
	IS 0250	Syringe for RHEODYNE valves (fixed needle), 250 µl
	IS 0500	Syringe for RHEODYNE valves (fixed needle), 500 µl
IS 1000	Syringe for RHEODYNE valves (fixed needle), 1000 µl	